

Recommended Products for Different Health Problems

<u>Problem</u>		<u>Recommendation</u>
Lack of nutrition & minerals Deficiency for normal person	VAMA	1 Cap in the morning & evening Empty stomach.
	ID 7	1 Caps twice a day after meals.
Lack of nutrition & minerals Deficiency for diseased person	VAMA	1 Caps in the morning & evening Empty stomach.
	LIVEASE	1 Cap morning & evening empty stomach.
	ID7	1 Caps twice a day after meals.
Constipation/Indigestion	ID 7	1 Caps twice a day before meals meals.
	LIVEASE	1 Cap morning & evening empty stomach.
Gas, Acidity	LIVEASE	1 Cap morning & evening empty stomach.
	ID 7	1 Cap twice a day after meals.
Diabetes R.B.S. 140-250	Daibease	1 Cap in the morning & evening empty stomach.
	ID 7	1 Caps twice a day after meals.
	LIVEASE	1 Cap morning & evening empty stomach.
Diabetes R.B.S. 250 to above	Daibease	1 Caps in the morning, & evening empty stomach.
	Neurex	1 Cap twice a day after meals.
	LIVEASE	1 Cap morning & evening empty stomach.
	Potency on	1 cap at night with milk or in the morning after breakfast.



AN ISO 9001 : 2015 COMPANY

HolyBotanicals India Private limited

<p>Un-Even Blood Pressure</p>	<p>Neurex ID 7 VAMA</p>	<p>1 Cap twice a day morning & evening 1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach.</p>
<p>Cholesterol</p>	<p>Neurex ID 7 TOXEASE LIVEASE</p>	<p>1 Cap in the morning & evening after meals. 1 Cap twice a day after meals. 1 Cap morning & evening empty stomach. 1 Cap morning & evening empty stomach.</p>
<p>Un-Even Menstruation & Leucorrhea</p>	<p>Ladyease ID 7 VAMA Neurex</p>	<p>1 Cap in the morning & evening after meals with milk. 1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.</p>
<p>Menopause</p>	<p>Ladyease ID 7 Potency on Neurex</p>	<p>1 Cap in the morning & evening after meals with milk. 1 Cap in the morning & evening with luke warm milk. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals.</p>
<p>Infertility in Females</p>	<p>Ladyease ID 7 Potency on Neurex LIVEASE</p>	<p>1 Cap in the morning & evening after meals with milk. 1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap morning & evening empty stomach.</p>

<p>Infertility of the Males</p>	<p>ID 7 Potency on</p> <p>Neurex</p> <p>VAMA LIVEASE</p>	<p>1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap twice a day after meals. 1 Cap morning & evening empty stomach.</p>
<p>Pre-Mature Ejaculation</p>	<p>ID 7 Potency on</p> <p>Neurex</p> <p>LIVEASE</p>	<p>1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap morning & evening empty stomach.</p>
<p>Low Sperm Count</p>	<p>ID 7 Potency on</p> <p>Neurex</p> <p>VAMA</p> <p>LIVEASE</p>	<p>1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach.</p>
<p>U.T.I./ Prostate Problem</p>	<p>ID 7 Potency on</p> <p>Neurex</p> <p>Toxease</p>	<p>1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap morning & evening empty stomach.</p>
<p>Eye Sight Problem</p>	<p>ID 7 Neurex</p> <p>VAMA</p>	<p>1 Cap twice a day after meals. 1 Cap in the morning & evening after meals. 1 Cap in the morning & evening Empty stomach.</p>



AN ISO 9001 : 2015 COMPANY

**HolyBotanicals India
Private limited**

<p>Hair Fall Males/Females</p>	<p>ID 7 FEED H VAMA</p>	<p>1 Cap twice a day after meals. 4-5 Sprays on hair roots and massage after Bath./ Females should 4-5 spray more on long hairs. 1 Cap in the morning & evening Empty stomach.</p>
<p>Piles/ Fistula/fissure</p>	<p>ID 7 VAMA Pilezout</p>	<p>1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach.</p>
<p>Hepatitis A.B.C.</p>	<p>ID 7 VAMA LIVEASE Neurex</p>	<p>1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach. 1 Cap in the morning & evening after meals.</p>
<p>Sinusitis</p>	<p>ID 7 VAMA Shapease RESPIFINE</p>	<p>1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach. 1 Cap morning & evening after Meals</p>
<p>Bronchitis</p>	<p>Respifine ID 7 LIVEASE</p>	<p>1 Cap morning & evening after meals 1 Cap twice a day after meals. 1 Cap morning & evening empty stomach.</p>

Deficiency of Blood (Anemia)	ID 7 VAMA LIVEASE	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach.
Stress	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.
Nightfall	ID 7 Potency on Neurex VAMA	1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals. 1 Cap in the morning & evening Empty stomach.
Sleeplessness/insomnia	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.
Thyroid	ID 7 VAMA Shapease Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach. 1 Cap in the morning & evening after meals.
Parkinson & Alzheimer	ID 7 VAMA Neurex Potency on	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals. 1 Cap after meals with milk.

	LIVEASE	1 Cap morning & evening empty stomach.
Psoriasis	ID 7 Toxease Neurex LIVEASE	1 Cap twice a day after meals. 1 Cap morning & evening empty stomach. 1 Cap in the morning & evening after meals. 1 Cap morning & evening empty stomach.
B.M.I Balancing /Obesity	ID 7 LIVEASE Shapease	1 Cap twice a day after meals. 1 Cap morning & evening empty stomach. 1 Cap morning & evening empty stomach.
Spondylitis, Sciatica	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.
Kidney Stone up to 5mm approx	ID 7 Toxease Neurex	1 Cap twice a day after meals. 1 Cap morning & evening empty stomach. 1 Cap in the morning & evening after meals.
Cough (Bronchitis)	ID 7 Neurex Respifine	1 Cap twice a day after meals. 1 Cap in the morning & evening after meals. 1 Cap twice a day with meals.
Bronchial Asthma/ Tuberculosis	ID 7 VAMA Neurex Respifine	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals. 1 Cap twice a day after meals.



AN ISO 9001 : 2015 COMPANY

**HolyBotanicals India
Private limited**

Jaundice/Anemia	ID 7 Neurex LIVEASE	1 Cap twice a day after meals. 1 Cap in the morning & evening after meals. 1 Cap morning & evening empty stomach.
Ulcer	ID 7 LIVEASE	1 Cap twice a day after meals. 1 Cap morning & evening empty stomach.
Colitis	ID 7 LIVEASE	1 Cap twice a day after meals. 1 Cap morning & evening empty stomach.
Ring Worm/Fungal Infection	ID 7 VAMA Toxease LIVEASE	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach. 1 Cap morning & evening empty stomach.
Leucoderma	ID 7 VAMA Toxease LIVEASE	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap morning & evening empty stomach. 1 Cap morning & evening empty stomach.
Pneumonia	ID 7 Potency on Respifine	1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap morning & evening after meals
Migraine/woman	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.



AN ISO 9001 : 2015 COMPANY

**HolyBotanicals India
Private limited**

	Ladyease	1 Cap in the morning & evening after meals with milk.
Migraine/ Men	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.
Hysteria	Ladyease ID 7 Potency on Neurex	1 Cap in the morning & evening after meals with milk. 1 Cap twice a day after meals. 1 cap at night with milk in the morning after breakfast. 1 Cap in the morning & evening after meals.
Dandruff	D 7 FEED H VAMA	1 Cap twice a day after meals. 4-5 Sprays on hair roots and massage after Bath / Females should 4-5 spray more on long hairs. 1 Cap in the morning & evening Empty stomach.
Ear Infection	ID 7 VAMA Neurex	1 Cap twice a day after meals. 1 Cap in the morning & evening Empty stomach. 1 Cap in the morning & evening after meals.